

Integrating CA DevTest 10.2 with CA Agile Central

Daniel Mazzei, Engineering Services Architect

February 2018




© 2018 CA. All rights reserved. CA confidential & proprietary information. For CA, CA Partner and CA Customer use only. No unauthorized use, copying or distribution. All names of individuals or of companies referenced herein are fictitious names used for instructional purposes only. Any similarity to any real persons or businesses is purely coincidental. All trademarks, trade names, service marks and logos referenced herein belong to their respective companies. These Materials are for your informational purposes only, and do not form any type of warranty. The use of any software or product referenced in the Materials is governed by the end user's applicable license agreement. CA is the manufacturer of these Materials. Provided with "Restricted Rights." Use, duplication or disclosure by the United States Government is subject to the restrictions set forth in FAR Sections 12.212, 52.227-19(c)(1)-(2) and DFARS Section 252.227-7014(b)(3), as applicable, or their successors.

Introduction

- What is CA Agile Central (formerly called Rally)?
 - A collaborative platform for agile software development
 - Provides a hub for teams to collaboratively plan, prioritize, and track work on a synchronized cadence
 - Measure productivity, predictability, quality, and responsiveness with real-time performance metrics
- Why use Agile Central with DevTest?
 - Provides end-to-end workflow and status updates from planning, execution, and testing
 - Automatically sync test run results by build # from DevTest Portal to Agile Central
 - Pass/Fail status, link to test results report, and tester name synched to Agile Central
 - Test Results now contained within Test Cases which are linked to User Stories and Features

Demo Steps

1. Generate CA Agile Central API key
2. Create Test Case in Agile Central
3. Create Test Case in DevTest Workstation
4. Run Test Case in DevTest Portal
5. View the test result in DevTest Portal
6. View the test result in Agile Central
 - If the test fails, a defect is automatically created and attached to the respective test case



1. Create Agile Central API Key

- Log in to CA Agile Central account page:
 - <https://rally1.rallydev.com/login/accounts/index.html#/apps>
- Click the API Keys tab
- Select "Create New API Key"
- Enter a name for the key and select "Full Access" checkbox
- Click "Create"
- Copy/Paste the API Key for later reference

NOTE: Ensure the project with the test is the default project for your profile



Create API Key

Description
Enter a name or a brief description indicating what the key will be used for.

Grants

ALM WSAPI Read-only
ALM will only allow GET requests from WSAPI

Full Access
Full Access to all Rally applications

API Keys

An API Key is similar to a password, and should be protected as such. Do not share API Keys, store them in source code, or send them over insecure channels. An API Key is useful for simple interactions with the CA Agile Central API, such as a connector that is not a web application.

If you think an API Key has been compromised, either reset the API Key or delete it.

[Create New API Key](#)

My Keys

DevTest Integration	full-access 12/07/2016	<input type="button" value="Edit"/>	<input type="button" value="Delete"/>
---------------------	---------------------------	-------------------------------------	---------------------------------------


2. Set the API Key Property

- Navigate to the DevTest installation directory
- Open the *site.properties* file
- Locate the line with the following property:
 - *rally.api.key=*
- Uncomment the line and enter the API Key you created after the “=” sign
- Save the file and start DevTest

```
#####  
###  
### SECTION 3 - MISC SETTINGS  
###  
#####  
  
## =====  
## If you're not using Pathfinder, you can disable it by setting this property to false.  
## =====  
#lisa.pathfinder.on=true  
  
## =====  
## DCM Settings  
## =====  
  
## =====  
## The timeout value (in milliseconds) used by the underlying messaging system. You should modify the value for  
## cloud integration because certain operations can take longer than the default 30 seconds.  
## =====  
#lisa.net.timeout.ms=60000  
  
## =====  
## Rally report parameters.  
## =====  
##rally.api.url=https://rally1.rallydev.com/sim/webService/v2.0/  
rally.api.key=  
## =====  
## URL used in Rally Report for test case PDF  
## and test result location in Devtest  
## =====  
## devtest.report.test.pdf.path=/devtest/reports/api/generatePDF/functional/  
  
## =====  
## APIM integration parameters  
## =====  
## apim.sskar.filename=[sskarFileName]  
## apim.solution.kit.guid=[SolutionKitGUID]
```

3. Add the CA Agile Central Report Generator

- The CA Agile Center report generator publishes DevTest test results to the CA Agile Central server
- You must add the CA Agile Central Report Generator to your staging document
 - The staging document *must contain at least one other report generator type*, such as Default Report Generator
 - **NOTE: Do not replace the Default Report Generator with the CA Agile Central Report Generator**
- In DevTest Workstation, click on a Staging Document and then the Report tab.
- Click the “+” sign to add a new Report Generator, then change the Report Generator Type to “CA Agile Central Report Generator”
- In the Parameters section of the report generator, after “Build Number Launch State Key”, enter “BUILD_NUM” to identify the test case
- The property BUILD_NUM can now be used in search from the reporting portal so you have a consistent naming convention in both DevTest and Agile Central



4. Create Test Case in CA Agile Central

- In Agile Central, Click on “Quality”, then select “Test Cases”
- Click on “Actions”, then select “New Test Case”
- Enter a name for the test case and any other required information

NOTE: The name of the test case in DevTest must match the name of the test case in CA Agile Central

- Set the “Method” field to “Automated”
- Click on the test case you just created
- Copy the number at the end of the URL string for later use. That is the **<TEST_CASE_ID>**.
 - <https://rally1.rallydev.com/#/43892440438d/detail/testcase/198449798264>
 - ***NOTE: The Test Case ID is assumed to be the prefix of the DevTest test name delimited by “-”, “_”, or “ ” (for example, TC46540-UpdateRallyToPassed)***
- Use Agile Central to manage the test cases. The test cases show the build number and whether the tests passed or failed.

The image displays the Rally DevTest interface, divided into three main sections:

- Backlog (Top):** A list of user stories and defects. A red box highlights the 'Quality' menu, which contains 'Defects', 'Defect Suites', 'Test Cases', and 'Test Plan'. The backlog table includes columns for Rank, ID, Name, Plan Est, Priority, and Owner. A red line indicates a cut point in the list.
- Test Cases (Middle):** A list of test cases with columns for ID and Name. A red box highlights the 'Quality' menu in the top navigation bar.
- Create Test Case Modal (Right):** A window for creating a new test case. The 'Name' field is populated with 'TST001-updateRallytoFailed'. The 'Owner' is set to 'Daniel Mazzei' and the 'Project' is 'Test DevTest'. The modal includes fields for ID, Tags, Description, Attachments, and Expedite, along with 'Save & Close', 'Save & New', 'Save', and 'Cancel' buttons.

Test Case TC3655: TST001-updateRallytoFailed

Actions

- Details for TC3655
- Defects (0)
- Test Sets (0)
- Results (0)
- Discussion (0)
- Revisions (2)

General					
ID:	TC3655				
Name:	TST001-updateRallytoFailed				
Tags:					
Description:					
Attachments:					
Owner:	Daniel Mazzei				
Project:	Test DevTest				
Test Folder:					
Expedite:	False				
Test Case					
Objective:					
Work Product:					
Type:	Acceptance				
Priority:					
Pre-Conditions:					
Steps:	<table border="1"><thead><tr><th>Input</th><th>Expected Result</th></tr></thead><tbody><tr><td>Validation</td><td></td></tr></tbody></table>	Input	Expected Result	Validation	
Input	Expected Result				
Validation					
Post-Conditions:					
Result					
Last Verdict:					
Last Run:					
Custom					
Automation Status:					
ExternalID:					
QCID:					
Release:					
Sprint:					
Test Data Reservation:					
Test Type:					
Notes					
Notes:					

Method: Automated

Test Cases

Actions

Views: All Test Cases

All	ID	Name	Work Product	Type	Priority	Owner	Method	Last Verdict	Last Build	Last Run	
<input type="checkbox"/>	TC1255	Inventory_lookupVIN	US287462: Inventory_lookupVIN	Acceptance		Chris Kraus	Automated	Pass	86	12/08/2016 07:17 PM EST	
<input type="checkbox"/>	TC1272	shade07-Test		Acceptance		Deepika Sharma	Manual				
<input type="checkbox"/>	TC1273	KRACH03 - test cars	US288388: KRACH03 - test cars	Acceptance	Critical	Chris Kraus	Automated	Pass	1239	04/04/2016 07:45 AM EDT	
<input type="checkbox"/>	TC1275	TEST	US221584: TEST	Acceptance		Chu-Ju Lin	Manual				
<input type="checkbox"/>	TC1276	tc123123 for me		Acceptance		Chris Kraus	Manual				
<input type="checkbox"/>	TC1689	View Vin from Inventory View		Acceptance		Chris Kraus	Automated				
<input type="checkbox"/>	TC1693	Click through from car to VIN check	US300177: Click through from car to VIN check	Acceptance		Chris Kraus	Automated	Fail	9.5.1.2.101	07/27/2016 03:00 PM EDT	
<input type="checkbox"/>	TC3630	Cars Makes API Returns Valid Data		Acceptance	Important	Dewayne McNair	Automated				
<input type="checkbox"/>	TC3655	TC3655-updateRallytoFailed		Acceptance		Daniel Mazzel	Automated	Pass	9.5.1.29	12/08/2016 10:42 AM EST	
<input type="checkbox"/>	TC3656	TC3656-updateRallytoPassed		Acceptance		Daniel Mazzel	Automated	Pass	9.5.1.28	12/08/2016 10:41 AM EST	
<input type="checkbox"/>	TC3657	TST003-SearchforcarsbyYear	US300175: Search for cars by Year	Acceptance		Daniel Mazzel	Automated				

11 Items
Display: 20



5. Create a Test Case in DevTest

- Create a new test case in DevTest Workstation
 - *NOTE: The name of the test case in DevTest must match the name of the test case in CA Agile Central (example: TC46540-UpdateRallyToPassed)*
- The test case requires the following fields:
 - REST call
 - Test Case Name
 - Test Case ID
 - Build Number
 - Date/Time
 - Pass/Fail Verdict
 - CA Agile Central API Key
 - For Defect also: Name, State, Description

DevTest Solutions v9.5.1 (9.5.1.6) : DevTest Workstation (User: admin)

File Edit View System Actions Help

New Open Save Stage/Deploy Change Registry Toggle Registry VSE Recorder OVS Application Insight Reports Stop Close

Project: C:\Program Files\CA\DevTest\Projects\RallyIntegration2

- VirtualServices
- Images
- VRScenarios
- Tests
 - Subprocesses
 - AuditDocs
 - Suites
 - StagingDocs
 - Run 1User 1Cycle.stg
 - TC3655-updateRallyToFailed.tst
 - TC3655-updateRallyToPassed.tst
- Configs
- project
- Data

Set Rally Test Case Properties

README

REST Update Rally Testcase Result to Passed

If environment error

If environment error

REST Step - Update Rally Testcase Result to Passed

URL: <https://rally1.rallydev.com/slm/webservice/v2.0/testcaseresult/create>

Method: POST On error: Abort the Test

URL Content Headers

URL Components

Protocol: https User: Password:

Host Name: rally1.rallydev.com Port (opt): Path: /slm/webservice/v2.0/testcaseresult/create

Query String Parameters

Key	Value
-----	-------

System Messages

Copyright © 2002-2016 CA

Build 9.5.1.6 190M of 239M

DevTest Solutions v9.5.1 (9.5.1.6) : DevTest Workstation (User: admin)

File Edit View System Actions Help

New Open Save Stage/Deploy Change Registry Toggle Registry VSE Recorder CVS Application Insight Reports Stop Close

Project: C:\Program Files\CA\DevTest\Projects\RallyIntegration2

- VirtualServices
- Images
- VRScenarios
- Tests
 - Subprocesses
 - AuditDocs
 - Suites
 - StagingDocs
 - Run1User1Cycle.stg
 - TC3655-updateRallytoFailed.tst
 - TC3656-updateRallytoPassed.tst
- Configs
 - project
- Data

Run1User1Cycle X TC3656-updateRallytoPassed X TC3655-updateRallytoFailed X

Set Rally Test Case Properties → README → Update Rally Testcase Result to Passed

REST Step - Update Rally Testcase Result to Passed

URL: <https://rally1.rallydev.com/slm/webservice/v2.0/testcaseresult/create>

Method: POST On error: Abort the Test

Content Type: application/json

```
{
  "TestCaseResult": {
    "TestCase": "/testcase/{testCaseId}",
    "Build": "{BUILD-NUMBER}",
    "Date": "2016-12-13T12:29:05.000Z",
    "Verdict": "{PASS}"
  }
}
```

System Messages

Copyright © 2002-2016 CA Build 9.5.1.6 206M of 226M

DevTest Solutions v9.5.1 (9.5.1.6) : DevTest Workstation (User: admin)

File Edit View System Actions Help

New Open Save Stage/Deploy Change Registry Toggle Registry VSE Recorder CVS Application Insight Reports Stop Close

Project C:\Program Files\CA\DevTest\Projects\RallyIntegration2

- VirtualServices
- Images
- VRScenarios
- Tests
 - Subprocesses
 - AuditDocs
 - Suites
 - StagingDocs
 - Run1User1Cycle.stg
 - TC3655-updateRallyToFailed.tst
 - TC3656-updateRallyToPassed.tst
- Configs
- project
- Data

Registry

Set Rally Test Case Properties

- If environment error
- Any Exception Then Fail

READ ME

REST Update Rally Testcase Result to Failed

- If environment error

REST Create Defect

- If environment error

REST Step - Create Defect

URL: <https://rally1.rallydev.com/slm/webservice/v2.0/defect/create>

Method: POST On error: Abort the Test

URL Content Headers

Type: Text Content Type: application/json

```

{
  "Defect":
  {
    "Name": "Defect attached to testcase using API",
    "TestCase": "/testcase/{testCaseId}",
    "State": "{SUBMITTED}",
    "Description": "This is a sample defect created using the API and attached to, {(testCaseName)}, "
  }
}

```

System Messages

Copyright © 2002-2016 CA

Build 9.5.1.6 179M of 259M

6. Run the Test

- In DevTest Portal, select a test case and click “Run” (if using config file in Workstation)
 - Otherwise, to specify a build number at runtime, select “Run with Options”
 - Click “Additional Properties” and add a new property called “BUILD_NUM” Set the value to the build number you are running the test against

DevTest Portal

Current Project RallyIntegration2 admin

Run Test Case

***Name** updateRallyToPassed ***Test Case** No spaces or special characters; a maximum length of 30.

***StagingDoc** Run1User1Cycle **Coordinator Server** Coordinator

Configuration project.config

Additional Properties Add

Property	Value
BUILD_NUM	9.5.1.25

Run Cancel

Registry: mazda03N53051:2010 | Version: 9.5.1 Copyright © 2016 CA. All rights reserved.

6. View Test Case Results

- View test cases status and results in DevTest Portal
- View test case status and report in Agile Central
- If the test fails in our example, a Defect will be created automatically and attached to the test case (or user story or task)

- Home
- Create
- Manage
 - All Resources
 - API Tests
 - Tests
 - Test Suites
 - Virtual Services
 - Copybook Bundles
 - Data Sets
 - Monitor
 - Tests
 - Virtual Service Environments
 - Server Health
 - CVS
 - Application Insight
 - Reporting
 - Settings

Home Tests Monitoring Tests

Summary (Last 7 Days) Last Refreshed: 12/12/2016 1:55:32 PM Auto Refresh 10 sec

10 3 3 6 0 0
 Passed Failed Aborted Errors Warnings Running

Suites/Tests Filter by 'Name' | Filter by 'Executed By' | Tests Suites | Passed Failed Aborted Running

Name	Status	Messages	Start Time	Duration	Executed By	Coordinator Server	Description
TC3655-updateRallytoFailed	✓		12/12/2016 12:26:14 PM	4.0s	admin	Coordinator	Put documentation of the Test Case...
TC3656-updateRallyToPassed	✓		12/12/2016 12:25:15 PM	3.0s	admin	Coordinator	Put documentation of the Test Case...
TC3656-updateRallyToPassed	✓		12/12/2016 12:14:33 PM	5.0s	admin	Coordinator	Put documentation of the Test Case...
TC3655-updateRallytoFailed	✓		12/08/2016 10:42:51 AM	4.5s	admin	Coordinator	Put documentation of the Test Case...
TC3656-updateRallyToPassed	✓		12/08/2016 10:41:51 AM	3.5s	admin	Coordinator	Put documentation of the Test Case...
TC3656-updateRallyToPassed	✓		12/08/2016 10:40:39 AM	8.6s	admin	Coordinator	Put documentation of the Test Case...
TC3656-updateRallyToPassed	✓		12/07/2016 4:49:08 PM	3.0s	admin	Coordinator	Put documentation of the Test Case...
TC3655-updateRallytoFailed	✗		12/07/2016 4:42:29 PM	3.5s	admin	Coordinator	Put documentation of the Test Case...
updateRallyToPassed	✓		12/07/2016 4:02:01 PM	2.5s	admin	Coordinator	Put documentation of the Test Case...
AllTestsSuite	✓		12/07/2016 3:58:55 PM	13.0s	admin		Put documentation of the suite here.
cars-baseline-rest-test	✗	1	12/06/2016 2:38:09 PM	2.5s	svpower	Coordinator	
test-data-driven-http-rest	✗	3	12/06/2016 2:37:55 PM	4.5s	svpower	Coordinator	Put documentation of the Test Case...
AddUserUI_20160707-1157331...	✗	1	12/06/2016 2:37:38 PM	17.0s	svpower	Coordinator	
AddUserUI_20160707-1157331...	✗	1	12/06/2016 2:37:38 PM	17.1s	svpower	Coordinator	

1 - 14 of 14 items



- Home
- Create
- Manage
- Monitor
- Tests
- Virtual Service Environments
- Server Health
- CVS
- Application Insight
- Reporting
- Settings

Overview > TC3655-updateRallytoFailed

Test - TC3655-updateRallytoFailed

Status: ✔ End Time: 12/12/2016 12:26:18 PM
Runs: Run1User1Cycle

1 Passed **0** Failed **0** Aborted **0** Errors **0** Warnings

Cycle Details ✔ Cycle Num: 0 Status: Passed VUsers: 0 Start Time: 12/12/2016 12:26:14 PM Duration: 3.8s Coordinator Server: Coordinator Simulator Server: Simulator

Work Flow Expand All Collapse All

Filter by 'Name' | Steps Quiet Steps Fired Assertions Evaluated Assertions Filters Data Sets Companions Event Actions | Passed Failed Aborted

- Set Rally Test Case Properties Response 12/12/2016 12:26:14 PM 0ms 0bytes
- Any Exception Then Fail
- READ ME Response 12/12/2016 12:26:15 PM 0ms 0bytes
- Update Rally Testcase Result to Failed Request Response 12/12/2016 12:26:16 PM 328ms 1855bytes
- Create Defect Request Response 12/12/2016 12:26:17 PM 578ms 6792bytes
 - Request/Response
 - Request

```
1 POST /slm/webservice/v2.0/defect/create HTTP/1.1
2 Pragma: no-cache
3 Cache-Control: no-cache
4 zsessionId: wtcH6nsrSPSPVhF2nPvDuiRhCx1N0yBVd70sLXCP4
5 lisaFrameRemoteIP: 10.151.17.141
6 lisaFrameRoot: true
7 lisaFrameID: 1768b320-c090-11e6-a824-0050569c1e3f
8 Content-Type: application/json
9 {
10 "Defect":
```
 - Response

```
1 {"CreateResult": {"rallyAPIMajor": "2", "rallyAPIMinor": "0", "Errors": [], "Warnings": [],
"Object": {"rallyAPIMajor": "2", "rallyAPIMinor": "0", "ref":
"https://rally1.rallydev.com/slm/webservice/v2.0/defect/88802669328", "refObjectUUID":
"fe89ef1e-f461-49c7-b29e-c4118180af8e", "objectVersion": "1", "refObjectName": "Defect
attached to testcase using API", "creationDate": "2016-12-12T17:26:18.271Z", "CreatedAt":
"just now", "ObjectID": "88802669328", "ObjectUUID": "fe89ef1e-f461-49c7-b29e-c4118180af8e",
"VersionId": "1", "Subscription": {"rallyAPIMajor": "2", "rallyAPIMinor": "0", "ref":
"https://rally1.rallydev.com/slm/webservice/v2.0/subscription/384103989", "refObjectUUID":
"5231359c-63c0-401e-90b5-49216ae17b2d", "refObjectName": "CA Technologies", "_type":
"Subscription"}, "Workspace": {"rallyAPIMajor": "2", "rallyAPIMinor": "0", "ref":
```

1 - 5 of 5 items

Registry: mazda03N53051.2010 | Version: 9.5.1

Copyright © 2016 CA. All rights reserved.

Test Cases

Actions

Views: All Test Cases

All	ID	Name	Work Product	Type	Priority	Owner	Method	Last Verdict	Last Build	Last Run	
<input type="checkbox"/>	TC1255	Inventory_lookupVIN	US287462: Inventory_lookupVIN	Acceptance		Chris Kraus	Automated	Pass	86	12/08/2016 07:17 PM EST	
<input type="checkbox"/>	TC1272	shade07-Test		Acceptance		Deepika Sharma	Manual				
<input type="checkbox"/>	TC1273	KRACH03 - test cars	US288388: KRACH03 - test cars	Acceptance	Critical	Chris Kraus	Automated	Pass	1239	04/04/2016 07:45 AM EDT	
<input type="checkbox"/>	TC1275	TEST	US221584: TEST	Acceptance		Chu-ju Lin	Manual				
<input type="checkbox"/>	TC1276	tc123123 for me		Acceptance		Chris Kraus	Manual				
<input type="checkbox"/>	TC1689	View Vin from Inventory View		Acceptance		Chris Kraus	Automated				
<input type="checkbox"/>	TC1693	Click through from car to VIN check	US300177: Click through from car to VIN check	Acceptance		Chris Kraus	Automated	Fail	9.5.1.2.101	07/27/2016 03:00 PM EDT	
<input type="checkbox"/>	TC3630	Cars Makes API Returns Valid Data		Acceptance	Important	Dewayne McNair	Automated				
<input type="checkbox"/>	TC3655	TC3655-updateRallytoFailed		Acceptance		Daniel Mazzei	Automated	Pass	9.5.50	12/12/2016 12:26 PM EST	
		Test executed by: admin Click here for test result PDF document.						Pass	9.5.50	12/12/2016 12:26 PM EST	
<input type="checkbox"/>	TC3656	TC3656-updateRallytoPassed		Acceptance		Daniel Mazzei	Automated	Pass	9.5.50	12/12/2016 12:25 PM EST	
		Test executed by: admin Click here for test result PDF document.						Pass	9.5.50	12/12/2016 12:25 PM EST	
<input type="checkbox"/>	TC3657	TST003-SearchforcarsbyYear	US300175: Search for cars by Year	Acceptance		Daniel Mazzei	Automated				

11 Items
Display: 20

Test Case TC3655: TC3655-updateRallytoFailed

- Details for TC3655
- Defects (8)
- Test Sets (0)
- Results (13)
- Discussion (0)
- Revisions (24)

Test Case Results

Build	Date	Test Set	Verdict	Duration	Tester	Notes	Filter
9.5.50	12/12/2016 12:26 PM EST		Pass		All	Test executed by: admin Click here for test result PDF document.	
9.5.1.29	12/08/2016 10:42 AM EST		Pass			Test executed by: admin Click here for test result PDF document.	
9.5.1.0	12/07/2016 07:29 AM EST		Pass				
9.5.1.0	12/07/2016 07:29 AM EST		Pass				
9.5.1.100	12/07/2016 07:29 AM EST		Fail				
9.5.1.100	12/07/2016 07:29 AM EST		Fail				
9.5.1.0	12/07/2016 07:29 AM EST		Pass				
9.5.1.100	12/07/2016 07:29 AM EST		Fail				
9.5.1.100	12/07/2016 07:29 AM EST		Fail				
400	11/06/2015 07:29 AM EST		Fail				
400	11/06/2015 07:29 AM EST		Fail				
400	11/06/2015 07:29 AM EST		Fail				
400	11/06/2015 07:29 AM EST		Fail				

13 Items
Display: 20

Functional test report

Test execution metrics in detail.



Name: TC3655-updateRallytoFailed Start Time: 12/12/2016 05:26:14 PM
 C:/Program Files/CA/DevTest/Projects/RallyIntegration2/Tests/TC3655-updateRallytoFailed.tst
 C:/PROGRA~1/CA/DevTest/Isatmp_9.5.1/lads/153335CAC09011E682B10050569C1E3F/RallyIntegration2/Tests/TC3655-updateRallytoFailed.tst

Config: TC3655-updateRallytoFailed.config End Time: 12/12/2016 05:26:18 PM
 C:/Program Files/CA/DevTest/Projects/RallyIntegration2/Configs/project.config
 C:/PROGRA~1/CA/DevTest/Isatmp_9.5.1/lads/153335CAC09011E682B10050569C1E3F/RallyIntegration2/Configs/project.config

Staging: Run1User1Cycle Duration: 4.017 s
 C:/Program Files/CA/DevTest/Projects/RallyIntegration2/Tests/StagingDocs/Run1User1 Cycle.stg
 C:/PROGRA~1/CA/DevTest/Isatmp_9.5.1/lads/153335CAC09011E682B10050569C1E3F/RallyIntegration2/Tests/StagingDocs/Run1User1 Cycle.stg

Test Name	Last Execution Date/Time	Duration(s)	Times	Warnings	Errors	Last Run
TC3655-updateRallytoFailed	12/12/2016 05:26:18 PM	4	1	0	0	PASS

Step Details:

Step Number	Step Name	Last Execution Date/Time	Step Status	Reason for failure	Assertions	Step Duration
405	Set Rally Test Case Properties	12/12/2016 05:26:14 PM	PASS	-	-	24
406	Update Rally Testcase Result	12/12/2016 05:26:16 PM	PASS	-	-	328
407	Create Defect	12/12/2016 05:26:17 PM	PASS	-	-	578



Test Request/Response Pair

Test Name: TC3655-updateRallytoFailed Step Name: Set Rally Test Case Properties Step Number: 405



Defects

Actions

DE1049108 Watch Feedback

ID	Name	Requirement	Severity	Priority	State	Target Build	Fixed In	Submitted By	Owner
DE276903	Cannot undo merge	US218677: Merge Tasks	3 - 3 - Non - Critical	2 - 2 - High Attention	Submitted				Daniel Mazzei
DE276904	Error merging more than two tasks	US218677: Merge Tasks	3 - 3 - Non - Critical		Submitted				Daniel Mazzei
DE1049108	Defect attached to testcase using API				Submitted				
DE1049135	Defect attached to testcase using API				Submitted				
DE1049136	Defect attached to testcase using API				Submitted				
DE1049137	Defect attached to testcase using API				Submitted				
DE1049138	Defect attached to testcase using API				Submitted				
DE1049140	Defect attached to testcase using API				Submitted				
DE1049141	Defect attached to testcase using API				Submitted				
DE1049142	Defect attached to testcase using API				Submitted				

10 Items Display: 99

NAME
Defect attached to testcase using API

STATUS
 Ready Blocked

COLOR
Orange

OWNER
-- No Owner --

PROJECT
Test DevTest

STATE
Submitted

SCHEDULE STATE
N

PLAN ESTIMATE
0

TASK ROLL-UP
Est: 0 To Do: 0 Actual: 0

DESCRIPTION
This is a sample defect created using the API and attached to



Daniel Mazzei

Engineering Services Architect

Daniel.Mazzei@ca.com



in