

Create a Execute user source function for the color (RPG)

Example (blue color)

```
Function name . . : MULTI COLOR SUBFILE BLUE  Type : Execute user source
Received by file. : UTILITY                    Acpth: *NONE

Source library. . : APGEN

Object Source      Target
? Type Name        HLL      Text
E  PGM  A2L7UFR     RPG      MULTI COLOR SUBFILE BLUE  Execute user source
```

Source code

```
Columns . . . : 1 71          Edit          APGEN/QRPGSRC
SEU==> _____ A2L7UFR
FMT C  ....CL0N01N02N03Factor1+++OpcdeFactor2+++ResultLenDHHiLoEqComments+++
***** Beginning of data *****
0001.00      C              MOVE LX'BA'          U0PSF1
***** End of data *****
```

(pink color)

```
Function name . . : MULTI COLOR SUBFILE PINK  Type : Execute user source
Received by file. : UTILITY                    Acpth: *NONE

Source library. . : APGEN

Object Source      Target
? Type Name        HLL      Text
_  PGM  A2L9UFR     RPG      MULTI COLOR SUBFILE PINK  Execute user source
```

Source code

```
Columns . . . : 1 71          Edit          APGEN/QRPGSRC
SEU==> _____ A2L9UFR
FMT C  ....CL0N01N02N03Factor1+++OpcdeFactor2+++ResultLenDHHiLoEqComments+++
***** Beginning of data *****
0001.00      C              MOVE LX'38'          U0PSF1
***** End of data *****
```

To use. Go to first field in record and “EDIT SCREEN ENTRY DETAILS”, F11 to “Entry user source”

```

Check condition . . : *NONE
Allow blank. . . . :                               Field exit option. . : _

F11=Entry user source          F18=Screen attributes          F24=More keys

```

F9 to Attach function. Select 1st field DDS.

```

Device
? Lang. [for] Device function   Associated with file   Attached at level   Applied sequence
_  DDS MULTI COLOR SUBFILE 1ST  UTILITY              Entry              1.00

Bottom
SEL: E-Edit device function source, +/- Enable/Disable, D-Detach, R-Rescope

F3=Exit      F5=Reload      F9=Attach function      F17=Services

```

The same for the other fields in the record, but attach additional field DDS.

```

File . . : EM EQUIPMENT           Device format: Subfile record.
Function : DSP EM EQUIPMENT (M)   Device entry : EM EQUIPMENT TYPE DESC

Device
? Lang. [for] Device function   Associated with file   Attached at level   Applied sequence
_  DDS MULTI COLOR SUBFILE ADDIT UTILITY              Entry              1.00

Bottom
SEL: E-Edit device function source, +/- Enable/Disable, D-Detach, R-Rescope

F3=Exit      F5=Reload      F9=Attach function      F17=Services

```

Go to action diagram

```

EDIT ACTION DIAGRAM          Edit      APMDL      EM EQUIPMENT
FIND=>                        DSP EM EQUIPMENT (M)
I(C,I,S)F=I .....
I(A,E,Q,*,+ : USER EXIT POINTS Opt: X,Z=Select V=Summary W=Wrapper :
> DSP : _ USER: Initialize program <<< :
-- : _ USER: Initialize subfile control <<< :
...I : Z USER: Initialize subfile record from DBF record <<< :
.=RE : _ CALC: Subfile control function fields :
-*A : _ USER: Process subfile control (Pre-confirm) :
... : _ CALC: Subfile record function fields :
PG : _ USER: Process subfile record (Pre-confirm) <<< :
> : _ USER: Final processing (Pre-confirm) :
.= : _ USER: Process command keys + <<< :
- : .....
Display screen
...Process response
-ENDDWHILE
-ENDDWHILE
...Closedown

```

Add colors

```

EDIT ACTION DIAGRAM          Edit      APMDL      EM EQUIPMENT
FIND=>                        DSP EM EQUIPMENT (M)
I(C,I,S)F=Insert construct    I(X,O)F=Insert alternate case
I(A,E,Q,*,+,-,=,=A)F=Insert action IMF=Insert message
> COLOR CODING <<<<
.-CASE <<<<
|-DB1.EM EQUIPMENT STATUS is INACTIVE <<<<
|MULTI COLOR SUBFILE RED - UTILITY * <<<<
|-*OTHERWISE <<<<
.-CASE <<<<
|-DB1.EM EQUIPMENT RENTAL is YES <<<<
|MULTI COLOR SUBFILE YELLO - UTILITY * <<<<
|-*OTHERWISE <<<<
|MULTI COLOR SUBFILE GREEN - UTILITY * <<<<
-ENDCASE <<<<
-ENDCASE <<<<

```