1. Say you want to see the "BasicArotIDProfile". First pull down and select "---None ---" as shown in the following 2 screens shots.





2. Then pull down and select "BasicArotIDProfile" after selecing "--- None ---" as in next screen shots and the BasicArotIDProfile details are shown in rendering to right as shown below.



yonli02-i129179.ca.com - Remote	Desktop Connection					
Users and Administrators	Organizations	Services and Se	erver Configurations	Reports	Case Management	
RiskFort WebFort	Administration Console					
/ebFort	Assign Default Co	nfigurations				
cotID 9 Issuance	Assign configurations to n	nake them default at glo	bal level. The organizations i	nherit these config	urations, unless overridden at organization	level. Refresh WebFo
Authentication						
	ArcotID Profile :		BasicArcotIDProfile	-	ArcotID Profile	
	ArcotID Policy:		BasicArcotIDAuthPolicy	•	Profile Name :	BasicArcotIDProfile
la lssuance	QnA Profile :		BasicQnAProfile	-	Arcot Key	1024
Authentication	QnA Policy :		BasicQnAAuthPolicy	-	Validity Start Date	Creation Date
	Password Profile :		BasicPasswordProfile	-	Validity End Date :	5 Year(s)
ssword	Password Policy:		BasicPasswordAuthPoli	cy 💌	Minimum Characters	6
Issuance	OTP Profile :		BasicOTPProfile	•	Maximum Characters :	25
Authentication	OTP Policy:		BasicOTPAuthPolicy	-	Maximum Characters .	. 0
	OATH OTP Profile :		BasicOATHOTPProfile	-	Minimum Aphabetic Characters	
p	OATH OTP Policy :		BasicOATHOTPAuthPoli	cy 💌	Minimum Numeric Characters :	0
Authentication	ArcotOTP-OATH Profile :		BasicArcotOTPProfile	•	Minimum Special Characters :	0
rationadan	ArcotOTP-OATH Policy:		BasicArcotOTPAuthPolic	у 💌	Additional Attributes	
TUOTA	ArcotOTP-EMV Profile :		No configuration availab	le 💌	User Active check	False
Issuance	ArcotOTP-EMV Policy :		BasicEMVOTPAuthPolic	/	User Attribute check	False
Authentication	Domain Key Configuration	n :	DefaultKeySym	•	Usage Type : History count	o
Token Management	OATH-OTP Master Key C	onfiguration :	DefaultKeySym	-	history count	
	ArcotOTR-OATH Master k	ev Configuration :	DefaultKeySym	-		

Here is a list of Default (Basic*) Profiles and Policies.

1. ArcotID Profile - BasicArcotIDProfile

ArcotID Profile

Profile Name :	BasicArcotIDProfile
Arcot Key	1024
Validity Start Date :	Creation Date
Validity End Date :	5 Year(s)
Minimum Characters :	6
Maximum Characters :	25
Minimum Alphabetic Characters :	D
Minimum Numeric Characters :	D
Minimum Special Characters :	D
Additional Attributes Custom Attributes	
User Active check	False
User Attribute check	False
Usage Type :	
History count	0

2. ArcotID Authentication Policy - BasicArcotIDAuthPolicy

ArcotID Authentication Policy

Policy Name :	BasicArcotIDAuthPolicy
Lockout Credential After :	3
Check User Status Before Authentication :	False
Issue Warning .	0
	Days
Allow Successful Authentication :	0
	Days
Enable Automatic Credential Unlock :	False
Enable Automatic Credential Unlock :	Disabled
Challenge Validity (in Seconds):	300
Usage Type for Verification :	

3. QnA Profile - BasicQnAProfile

QnA Profile

Profile Name :	Basic QnA Profile
Minimum Questions	4
Maximum Questions	6
Answers Case-Sensitive	false
Validity Start Date :	Creation Date
Validity End Date :	5 Year(s)
Custom Attributes	
User Active check	False
User Attribute check	False
Usage Type :	
Question Return Mode :	Static
Question Bank Size for QnA Issuance	0
Question Bank :	

4. QnA Authentication Policy - BasicQnAuthPolicy

QnA Authentication Policy

Policy Name :	Basic QnAAuthPolic y
Number of Questions to Challenge :	3
Number of Correct Answers Required :	3
Enable Caller Verification :	False
Lockout Credential After :	3
Check User Status Before Authentication :	False
leeue Warping :	0
issue warning .	Days
Allow Cussessful Authoptisation :	0
Allow Successful Authentication .	Days
Enable Automatic Credential Unlock :	False
Enable Automatic Credential Unlock :	Disabled
Question Selection Mode :	Random
Change Question Set :	Only on Successful Authentication
Challenge Validity (in Seconds):	300
Usage Type for Verification :	

5. <u>Password Profile -</u> BasicPasswordProfile

Password Profile

Profile Name :	Basic Passw ordProfile
Validity Start Date :	Creation Date
Validity End Date :	5 Year(s)
Minimum Characters :	6
Maximum Characters :	25
Minimum Alphabetic Characters :	0
Minimum Numeric Characters :	0
Minimum Special Characters :	0
Custom Attributes	
User Active check	False
User Attribute check	False
Usage Type :	
Auto-Generate Password :	False
Usage Count :	Unlimited
Password Unique Across Usage Types :	False
History count	0

6. <u>Password Authentication Policy - BasicPasswordAuthPolicy</u>

Password Authentication Policy

Profile Name :	Basic Passw ordAuthPolicy
Lockout Credential After :	3
Check User Status Before Authentication :	False
Issue Warning :	0
	Days
Allow Successful Authentication :	Deve
Enable Automatic Credential Unlock	Days
Enable Automatic Credential Unlock :	Disabled
Challenge Validity (in Seconds):	300
Number of Password Characters to Challenge :	0
User not Found :	False
Credential not Found :	False
Usage Type for Verification :	

7. <u>OTP Profile - BasicOTPProfile</u>

OTP Profile

Profile Name :	Basic OTPProfile
Type :	Numeric
Length :	8
Validity Dariad	10
validity Period .	Day(s)
Allow Multiple Lice :	1
Allow Multiple 03e .	Times
Custom Attributes	
User Active check	False
User Attribute check	False
Usage Type :	

8. <u>OTP Authentication Policy - BasicOTPAuthPolicy</u>

OTP Authentication Policy

Profile Name :	Basic OTPAuthPolic y
Lockout Credential After :	3
Check User Status Before Authentication :	False
lesue Warning :	0
issue warning .	Days
Allow Successful Authentication :	0
	Days
Enable Automatic Credential Unlock :	False
Enable Automatic Credential Unlock :	Disabled
User not Found :	False
Credential not Found :	False
Usage Type for Verification :	

9. OATH OTP Profile – BasicOATHOTPProfile

OATH OTP Profile

Profile Name :	Basic OA THOTPProfile
Validity Start Date :	Creation Date
Validity End Date :	5 Year(s)
Custom Attributes	
User Active check	False
User Attribute check	False
Usage Type :	

10. <u>OATH OTP Authentication Policy</u> – BasicOATHOTPAuthPolicy

OATH OTP Authentication Policy

Policy Name :	Basic OATHOTPAuthPolic y
Authentication Look Ahead Count :	10
Authentication Look Back Count :	O
Synchronization Look Ahead Count :	100
Synchronization Look Back Count :	0
Lockout Credential After :	3
Check User Status Before Authentication :	False
Issue Warning	0
issue warning .	Days
Allow Sussessful Authoptication :	0
Allow Succession Admentication .	Days
Enable Automatic Credential Unlock :	False
Enable Automatic Credential Unlock :	Disabled
User not Found :	False
Credential not Found :	False
Usage Type for Verification :	

11. ArcotOTP-OATH Profile - BasicArcotOTPProfile

ArcotOTP-OATH Profile

Policy Name :	BasicArcotOTPProfile
Token Type :	HOTP
Length :	6
Logo URL :	
Display Name :	\$\$USER_NAME\$\$
Validity Start Date :	Creation Date
Validity End Date :	5 Year(s)
Custom Attributes	
Custom Card Attributes	
User Active check	False
User Attribute check	False
Usage Type :	

12. <u>ArcotOTP-OATH Policy -</u> BasicArcotOTPAuthPolicy

ArcotOTP Authentication Policy

Policy Name :	Basic Arc ot OTPA uth Policy
Authentication Look Ahead Count :	10
Authentication Look Back Count :	0
Synchronization Look Ahead Count :	100
Synchronization Look Back Count :	0
Lockout Credential After :	3
Check User Status Before Authentication :	False
Issue Warning :	0
	Days
Allow Successful Authontisation :	0
Allow Successful Authentication .	Days
Enable Automatic Credential Unlock :	False
Enable Automatic Credential Unlock :	Disabled
User not Found :	False
Credential not Found :	False
Usage Type for Verification :	

13. <u>ArcotOTP-EMV Authentication Policy</u> – Basic EMVOTPAuthPolicy

ArcotOTP-EMV Authentication Policy

Policy Name :	Basic EM/OTPAuthPolicy
Authentication Look Ahead Count :	10
Authentication Look Back Count :	0
Synchronization Look Ahead Count :	100
Synchronization Look Back Count :	0
Lockout Credential After :	3
Check User Status Before Authentication :	False
Issue Warning :	0
	Days
Allow Successful Authentication :	0
	Days
Enable Automatic Credential Unlock :	False
Enable Automatic Credential Unlock :	Disabled
User not Found :	False
Credential not Found :	False
Usage Type for Verification :	